

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

CHEMICAL PRODUCT IDENTIFICATION:

PRODUCT ID . . . . . : 1YB.104  
PRODUCT CLASS . . . . . : PAINT, WATER BASE  
TRADE NAME . . . . . : SINGLE COMPONENT W/B URETHANE SATIN  
FORMULA ID . . . . . : 380-270  
MSDS PREPARATION DATE . . . . . : 12/15/2005

MANUFACTURER IDENTIFICATION:

NAME . . . . . : INSL-X PRODUCTS CORPORATION  
ADDRESS . . . . . : 308 OLD COUNTY ROAD  
EDGEWATER FL 32132

TELEPHONE . . . . . : 386-428-6461  
EMERGENCY CONTACT . . . . . : CHEMTREC  
EMERGENCY TELEPHONE . . . . . : (800) 424-9300

SECTION 2 - COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

1

CAS# 121-44-8  
TRIETHYLAMINE  
PCT BY WT: 1.4200 VAPOR PRESSURE: 52.000 MMHG @ 68F  
EXPOSURE LIMIT:

ACGIH TLV/TWA: TWA 10 ppm  
ACGIH TLV/STEL: STEL 15 ppm  
OSHA PEL/TWA: TWA 10 ppm  
OSHA STEL: 15 ppm  
LC50: Inhalation, Mouse - 6 g/cu m/2H  
LD50: Oral, Rat- 460 mg/kg

2 1-METHYL-2-PYRROLIDINONE

CAS# 872-50-4  
N-METHYL PYRROLIDINONE  
PCT BY WT: 4.7030 VAPOR PRESSURE: .290 MMHG @ 68F  
EXPOSURE LIMIT:

ACGIH TLV/TWA: 100 ppm (Recommended)  
LD50: Oral, Rat - 4200 mg/kg; Skin, Rabbit - 8000 mg/kg

OTHER LIMITS:

Reproductive harm

\*\*\*\*\*  
This product contains one or more Hazardous Air Pollutants.  
\*\*\*\*\*

\*\*\*\*\*  
This product contains one or more reported mutagens or suspected mutagens.  
\*\*\*\*\*

\*\*\*\*\*  
This product contains no reported carcinogens or suspected carcinogens according to the information provided in Section 3 of this MSDS.  
\*\*\*\*\*

\*\*\*\*\*  
This product contains pigments, which may become a dust nuisance when removed by abrasive blasting, sanding, or grinding.  
\*\*\*\*\*

-----  
INSL-X PRODUCTS CORPORATION  
MATERIAL SAFETY DATA SHEET

1YB.104

-----  
\*\*\*\*\*  
\*\*\*\*\*  
This product contains one or more reported or suspected reproductive  
toxins.  
\*\*\*\*\*  
-----

SECTION 3 - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYES: Primary irritant.

SKIN: This product may cause skin irritation or rash upon repeated or  
prolonged contact.

INHALATION: Repeated exposure to vapors or spray mists can cause  
irritation of eyes, nose and throat.

INGESTION: In humans, irritation of the mouth and stomach can develop  
following ingestion of this product.

PRIMARY ROUTE(S) OF ENTRY

Inhalation of vapors (especially if spray or heated).

CARCINOGENICITY

No ingredient in this product is an IARC, NTP or OSHA listed  
carcinogen.

CHRONIC EFFECTS:

None recognized.

-----  
SECTION 4 - FIRST AID MEASURES

EMERGENCY FIRST AID:

EYE CONTACT: Flush at once with large amounts of lukewarm water for at  
least 15 minutes and get medical attention.

SKIN CONTACT: Remove from skin with soap and water. Remove drenched  
clothing. If irritation persists, consult a physician.

INHALATION: If affected by inhalation of vapor or spray mist, remove to  
fresh air. If necessary, restore breathing; in this case  
contact physician at once.

INGESTION: If victim is conscious, give 2 glasses of water to dilute.  
Do not induce vomiting. Consult physician or poison control  
center at once.

NOTE TO PHYSICIAN:

Not Applicable.





-----  
INSL-X PRODUCTS CORPORATION  
MATERIAL SAFETY DATA SHEET

1YB.104  
-----

-----  
SECTION 11 - TOXICOLOGICAL INFORMATION  
-----

No data at this time.  
-----

SECTION 12 - ECOLOGICAL INFORMATION  
-----

No data at this time.  
-----

SECTION 13 - DISPOSAL CONSIDERATIONS  
-----

WASTE DISPOSAL

Dispose of this product in accordance with applicable local, county, state and federal regulations, by incinerating, or treating and disposing in approved facility. Do not incinerate closed containers.  
-----

SECTION 14 - TRANSPORT INFORMATION  
-----

DOT HAZARD CLASS . . . . . : N/A  
DOT PACKAGING GROUP . . . . . : N/A  
DOT LABEL . . . . . : NONE  
DOT SHIPPING NAME . . . . . : PAINT  
DOT PLACARD . . . . . : NONE  
UN/NA NUMBER . . . . . : NONE  
-----

SECTION 15 - REGULATORY INFORMATION  
-----

U.S. FEDERAL REGULATORY INFORMATION

TSCA SECTION 8(b) - INVENTORY STATUS:

All components of this product are either listed on the U.S. Toxic Substances Control Act (TSCA) inventory of chemicals or are otherwise compliant with TSCA Regulations.

SARA 313 TOXIC CHEMICALS:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

TRIETHYLAMINE

CAS# 121-44-8 PCT BY WT: 1.4200  
-----

N-METHYL PYRROLIDINONE

CAS# 872-50-4 PCT BY WT: 4.7030  
-----

-----  
INSL-X PRODUCTS CORPORATION  
MATERIAL SAFETY DATA SHEET  
-----

1YB.104  
-----

SECTION 16 - OTHER INFORMATION  
-----

Prepared by . . . . . :  
Date of issue . . . . . : 12/15/2005  
Last Revision Date . . . . . : 08/01/2005  
MSDS Prepared for . . . . . :  
MSDS Last Prepared . . . . . : NONE  
HMIS Rating:           Health- 1\*           Flammability- 0  
                          Reactivity- 0

\*\*\*\*\*

This Material Safety Data Sheet conforms to the Hazard Communication Standard, 29 CFR 1910.1200 (g) (4).

The above information pertains to this product as currently formulated and is based on the information available, as of this date. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

\*\*\*\*\*

Abbreviations used: int.- interior; ext.- exterior; MSDS - Material Safety Data Sheet; HMIS - Hazardous Materials Information System; CAS - Chemical Abstracts Services; pct - percent; wt - weight; mm Hg - millimeters of mercury; F - Fahrenheit; ACGIH - American Conference of Governmental Industrial Hygienists; TLV - Threshold Limit Value; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; TWA - Time-Weighted Average; STEL- Short Term Exposure Limit; N/A- Not applicable IARC - International Agency for Research on Cancer; NE - Not established NTP - National Toxicological Program; CFR - Code of Federal Regulations; OSHA - Z 29CFR 1910, Subpart Z; VOC - Volatile Organic Compounds; TCC - Tag Closed Cup; LEL - Lower Explosive Limit; Mg/m<sup>3</sup> or Mg/Cu M - milligram per cubic meter; mppcf - millions of particles per cubic foot; ppm - parts per million; NIOSH - National Institute of Occupational Safety and Health; MSHA - Mine Safety and Health Administration; CNS - Central Nervous System.

□